To: Magnuson, Matthew[Magnuson.Matthew@epa.gov]

From: Lindquist, Alan

Sent: Sun 1/12/2014 10:49:58 PM

Subject: Fw: National WARN Request: Lab Support Needed in West Virginia

Matthew.

Can you come to the SLT Monday?

Alan

From: Ernst, Hiba

Sent: Sunday, January 12, 2014 8:07:24 AM

To: Lindquist, Alan; Nichols, Tonya; Roberts, Eletha **Cc:** Ryan, Shawn; Magnuson, Matthew; Sayles, Gregory

Subject: Re: National WARN Request: Lab Support Needed in West Virginia

Alan,

Please ask Matthew to come to the SLT on Monday morning and give us his perspective on the chemical and his thoughts so that we are all on the same page. He can just stop by when his schedule allows between 9 and 11.

Thanks Hiba

From: Lindquist, Alan

Sent: Saturday, January 11, 2014 8:13:04 PM **To:** Nichols, Tonya; Roberts, Eletha; Ernst, Hiba

Cc: Ryan, Shawn; Magnuson, Matthew; Sayles, Gregory

Subject: Fw: National WARN Request: Lab Support Needed in West Virginia

Tonya,


As the director of the Division working on methods, I thought you might like to see this request for mobile lab support.

Alan

From: WaterISAC <info@waterisac.org>
Sent: Saturday, January 11, 2014 4:57:04 PM

To: Lindquist, Alan

Subject: National WARN Request: Lab Support Needed in West Virginia



Not for Public Dissemination

WaterISAC Members:

American Water is seeking additional mobile lab support assistance via WARN in the wake of the chemical spill in Charleston, West Virginia. Please see below and the attached document for more details.

NATIONAL WARN NOTICE - WIDE DISTRIBUTION


Many of you have likely seen reporting on the chemical spill in Charleston, WV which has impacted the drinking water for the American Water's treatment and distribution systems.

American Water is seeking additional mobile lab support that can run samples for decision making support as they begin to take actions to clear the system.

The method and equipment specifications are attached.

Equipment - ThermoFisher GC/MS unit utilizes SM 524. The attached files includes the protocol utilized by Eastman, the chemical producer.

If you have this capability please contact Nick Santillo, American Water, for further details and logistical arrangements.



Very Respectfully,

Ex. 6 - Personal Privacy

Lead Analyst

Water Information Sharing and Analysis Center (WaterISAC)

24-hr: 866-H2O-ISAC

Ex. 6 - Personal Privacy

The above information is not to be released to the public, the media, or other personnel who do not have a valid need to know without prior approval of an authorized official.

WaterISAC

1620 I Street, NW, Suite 500, Washington, DC 20006 866-H2O-ISAC | <u>info@waterisac.org</u> | <u>www.waterisac.org</u>